

INVITATION FOR QUOTATION

TEQIP-III/2019/pmec/Shopping/31

11-Feb-2019

To,

Sub: Invitation for Quotations for supply of Goods

Dear Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Brief Description	Quantity	Delivery Period(In days)	Place of Delivery	Installation Requirement (if any)
1	Computer Hardware Trainer Kit	10	45	PMEC Berhampur	Icluding All installation costs
2	Hard Disk Drive Trainer Kit	10	45	PMEC Berhampur	Including all installation cost
3	Hardware Kit for Simulation of Half Adder, Full Adder, Multiplexer and Demultiplexer	10	45	PMEC Berhampur	YES
4	Hardware trainer Kit for Real Time Clock	10	45	PMEC Berhampur	Yes
5	Lan Trainer Kit	3	45	PMEC Berhampur	Including all installation costs
6	Printer Trainer Kit	10	45	PMEC BERhampur	Yes
7	SMPS Trainer Kit	10	45	PMEC Berhampur	yes

1. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme[TEQIP]-Phase III** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
2. Quotation,
 - 2.1 The contract shall be for the full quantity as described above.
 - 2.2 Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
 - 2.3 All duties and other levies payable by the supplier under the contract shall be included in the unit price.
 - 2.4 Applicable taxes shall be quoted separately for all items.
 - 2.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
 - 2.6 The Prices should be quoted in Indian Rupees only.
3. Each bidder shall submit only one quotation.
4. Quotation shall remain valid for a period not less than **120** days after the last date of quotation submission.
5. Evaluation of Quotations,

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which

 - 5.1 are properly signed; and
 - 5.2 confirm to the terms and conditions, and specifications.
 - 5.3 OEM's are preferred.
 - 5.4 Companies with past satisfactory experience from institutes of national repute would be preferred.
 - 5.5 Cost of bids should include all installation cost i.e. Civil, Electrical etc.
 - 5.6 Service point of the products nearer to the college would be preferred.
6. The Quotations would be evaluated for all items together.
7. Award of contract:

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

7.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.

7.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

8. Payment shall be made in Indian Rupees as follows:

Delivery and Installation - 90% of total cost

Satisfactory Acceptance - 10% of total cost

9. All supplied items are under warranty of minimum **24** months from the date of successful acceptance of items.

10. You are requested to provide your offer latest by **16:00**hours on **12-Mar-2019** .

11. Detailed specifications of the items are at Annexure I.

12. Training Clause (if any) **yes**

13. Testing/Installation Clause (if any) **yes**

14. Information brochures/ Product catalogue/instruction manual, if any must be accompanied with the quotation clearly indicating the model quoted for.

15. Sealed quotation to be submitted/ delivered at the address mentioned below,

TEQIP Cell, Room 501, Parala Maharaja Engineering College, Sitallapalli, Berhampur, Odisha. Pin-761003

17. The purchaser may visit the suppliers place for inspection of product before its delivery. The cost of such visit will be borne by the supplier.

18. We look forward to receiving your quotation and thank you for your interest in this project.

(Authorized Signatory)

Name & Designation

Annexure I

Sr. No	Item Name	Specifications
1	Computer Hardware Trainer Kit	COMPUTER HARDWARE TRAINER KIT • Intel Core i processor (4M Cache ,3.06 GHz or more) • Mother Board- Intel Chipset • Memory(RAM)-1 GB (DDR3) • S. Memory(HDD)- 250 GB(SATA) • 15" LCD Monitor • Optical Mouse with pad • Standard Keyboard • CD/DVD R/W (SATA) • In built Sound Card • Stereo Speakers
2	Hard Disk Drive Trainer Kit	HARD DISK DRIVE TRAINER • Hard disk:80 GB or More • Input Voltage: +5V/200mA,+12V/200mA • Kit should capable to perform Read/Write/Format operations on each sector
3	Hardware Kit for Simulation of Half Adder, Full Adder, Multiplexer and Demultiplexer	Indicators: LED Indicators to indicate logic low and logic high and LED for output indication. ISP programmer for piggy back module, Clock generator: 50 Mhz, 10MHz, 5 MHz, 1MHz, 100 KHz and 100 Hz.
4	Hardware trainer Kit for Real Time Clock	Indicators: led indication to indicate logic low and logic high and led for output indication, ISP programmer for piggy bsg module.
5	Lan Trainer Kit	• 8x 10x100 Mbps RJ-45 Nway ports • Complies with IEEE802.3x standards • Supports MDI/MDI-x auto crossover • Minimum 200 Mbps data transfer rates (full duplex)
6	Printer Trainer Kit	Printing Technology Serial Impact Dot Matrix Method Print Head 24 Pin Dot Wire Diameter 0.2 mm Print Direction Bidirectional/Unidirectional printing, Short line-seeking printing Graphic Resolution Max. 360(H) x 360(V) dpi Print Speed High Speed Draft : 420 cps, Utility : 315 cps, Letter Quality : 105 cps Line Feed Pitch 4.23mm (1/6 "), 3.18mm (1/8 "), n x 0.42mm(m/60 ")(m=0-127), n x 0.35mm (n/72 ") (n=1-85), n x 0.14mm(n/180 ")(n=0-255), n x 0.12mm(n/216 ") (n=0-255), n x 0.07mm (n/360 ") (n=0-255) Feed Speed 4.5 inches per second Feed Rate 4.23mm(1/6") line feed: Approx.

		<p>46 milliseconds Paper Route Tractor feeder (Rear), Tractor feeder (Bottom), Manual (Top), Roll paper stand, Cut sheet feeder (Rear) Character Pitch High Speed Draft : 10.0 cpi, 12.0 cpi Utility : 10.0 cpi, 12.0 cpi, 15.0 cpi, 17.1 cpi, 20.0 cpi Letter Quality : 10.0 cpi, 12.0 cpi, 15.0 cpi, 17.1 cpi, 20.0 cpi, Proportional Printing Width 80 characters/line at ANK 10 cpi Interface IEEE1284-1994 Bi-directional Parallel, USB 2.0 (Full Speed), (Optional) 100BASE-TX/10BASE-T, (Optional) RS-232C (25pin) Emulation ESC/P2 emulation, IBM ProPrinter emulation, IBM AGM emulation Supported OS (Click here for latest OS) Windows 7, Windows 7 x64, Windows Vista, Windows Vista x64, Windows Server 2008 R2, Windows Server 2008, Windows Server 2008 x64, Windows Server 2003, Windows Server 2003 x64 Receive Buffer Max. 128KB Resident Font Utility, LQ Gothic, LQ Roman, LQ Courier, LQ Swiss, LQ Prestige, LQ Orator, LQ Swiss Bold, Scalable Roman, Scalable Courier, Scalable Swiss, High Speed Draft, OCR-A, OCR-B Font Style Double Width, Double Height, Enhanced, Emphasized, Bold, Italics, Over score, Outline, Shadow, Underline 1-D Barcode UPC-A, UPC-E, EAN8, EAN13, Code39, Interleaved 2 of 5 (ITF), Code128, POSTNET, Codabar (NW-7), Industrial 2 of 5, Matrix 2 of 5 Paper Type Continuous paper, Continuous copying paper, Cut sheet, Card, Envelope, Label Paper Weight Adjustment Manual Paper Size Continuous paper: Width 76.2-254.0mm x Length 76.2-355.6mm Single part paper: Width 99.1-216.0mm x Length 99.1-356.0mm Multi part paper: Width 76.2-254.0mm x Length 76.2-355.6mm Paper Weight Continuous paper : 45 - 90 gsm Single part paper : 45 - 90 gsm Multi part paper : 35 - 40 gsm Copy Capability Normal print mode: original + 4sheets(Total Thickness < 0.36mm) Dimensions(WxDxH) 398 x 345 x 153 mm Operating Environment Operating: 5 - 35 °C, 20 - 80 %RH Storage: -10 - 50 °C, 5 - 95 %RH No condensation Power Source Single phase 220 - 240 VAC ±10%, 50/60 Hz ±2% Power Consumption Operating: Max. -W (ISO10561 (Utility, Range1) Printing Approx. 60W) Power Save: < 1.7W Safety & Environment Regulation Energy Star, EMC-Directive, CE Mark, GS Mark Noise Level Operating :Approx. 56 dBA Quiet Mode: < 52 dBA MTBF(Mean Time Before Failure) 20,000</p>
--	--	---

		hours Ribbon Life Black : 4 million characters Print Head Life Approx. 300 million strokes/ pin
7	SMPS Trainer Kit	• SMPS used in standard computers • Output Voltage: +5V,-5V,+12V,-12V • Input Voltage: 220V-250V

FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

Date: _____

To:

Sl. No.	Description of goods (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs. (Including Ex Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
						In %	In figures (B)
Total Cost							

Gross Total Cost (A+B): Rs. _____

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. _____ (Amount in figures) (Rupees _____ amount in words) within the period specified in the Invitation for Quotations.

We confirm that the normal commercial warranty/ guarantee of ————— months shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the Invitation Letter.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier

Name: _____

Address: _____

Contact No: _____